Index of Authors

Aarts, H.J.M., Van Lith, L.A.J.T. & Keijer, J. High-resolution genotyping of *Salmonella* strains by AFLP-fingerprinting, 131
Ahrné, S. *see* Nigatu, A.
Akkermans, A.D.L. *see* Felske, A.
Albano, A. *see* Sisti, M.
Allerberger, F. *see* Grif, K.
Anderson, J.G. *see* Rowan, N.J.
Anderson, K.L., Megehee, J.A. & Varel, V.H. Heat shock response enhances acid tolerance of *Escherichia coli* O157:H7, 35
Andrade, G., De Leij, F.A.A.M. & Lynch, J.M. Plant mediated interactions between *Pseudomonas fluorescens, Rhizobium leguminosarum* and arbuscular mycorrhizae on pea, 311
Archer, L. *see* Perry, J.D.
Ariff, A.B. *see* Rosfarizan, M.
Athar, M. Drought tolerance by lentil rhizobia (*Rhizobium leguminosarum*) from arid and semiarid areas of Pakistan, 38
Atyeo, R.F., Oxberry, S.L., Combs, B.G. & Hampson, D.J. Development and evaluation of polymerase chain reaction tests as an aid to diagnosis of swine dysentery and intestinal spirochaetosis, 126
Auffray, Y. *see* Flahaut, S.
Aureli, P. *see* Franciosa, G.
Ayres, H.M., Payne, D.N., Furr, J.R. & Russell, A.D. Use of the Malthus-AT system to assess the efficacy of permeabilizing agents on the activity of antibacterial agents against *Pseudomonas aeruginosa*, 422

Babalola, G.O. Anti-bacterial activity of synthetic N-heterocyclic oxidizing compounds, 43
Baillie, L.W.J. *see* Miller, J.
Ball, H.J. *see* Grant, I.R.
Ballagi-Pordány, R. *see* Thisted, S.
Banks, J.G. *see* Bennett, A.R.
Bell, H.C. *see* Cox, S.D.
Bell, H.C. *see* Gustafson, J.E.
Benada, O. *see* Fliegerová, K.
Bennett, A.R., Greenwood, D., Tennant, C., Banks, J.G. & Betts, R.P. Rapid and definitive detection of *Salmonella* in foods by PCR, 437
Betts, R.P. *see* Bennett, A.R.
Bhunia, A.K. & Westbrook, D.G. Alkaline phosphatase release assay to determine cytotoxicity for *Listeria* species, 305
Bienvenu, F.E. *see* Lachowicz, K.J.
Boghossian, V. *see* Coventry, M.J.
Bolton, F.J. *see* Wainwright, M.
Brandi, G. *see* Sisti, M.
Branland, P. *see* Letourneau, F.
Bressollier, P. *see* Letourneau, F.
Brett, M.M. Evaluation of the use of the bioMerieux Rapid ID32 A for the identification of *Clostridium botulinum*, 81
Bridge, P.D. *see* Piatti, P.
Briggs, D.R. *see* Lachowicz, K.J.
Brigidi, P. *see* Rossi, M.
Brimecombe, M.J., De Leij, F & Lynch, A.A.M. Effect of genetically modified *Pseudomonas fluorescens* strains on the uptake of nitrogen by pea from ^{15}N enriched organic residues, 155
Brözel, V.S. *see* Manie, T.
Buogo, C. *see* Miserez, R.
Burnens, A. *see* Miserez, R.
Byrd, J.A. *see* Hume, M.E.

Cano, J. *see* Sabate, J.
Capaul, S. *see* Miserez, R.
Cavin, J.-F. *see* Labarre, C.
Chang, J.H., Roh, J.Y., Je, Y.H., Park, H.W., Jin, B.R., Woo, S.D. & Kang, S.K. Isolation of a strain of *Bacillus thuringiensis* subsp. *kurstaki* HD-1 encoding δ=endotoxin Cry1E, 387
Chart, H. *see* Gibson, J.R.
Charteris, W.P., Kelly, P.M., Morelli, L. & Collins, J.K. Antibiotic susceptibility of potentially probiotic *Bifidobacterium* isolates from the human gastrointestinal tract, 333
Chaslus-Dancla, E. *see* Leroy-Sétrin, S.
Cheng, K.-J. *see* Yanke, L.J.
Chew, S. *see* Gustafson, J.E.
Choi, C.W. *see* Park, S.H.
Choi, M.H. & Park, Y.-H. The influence of yeast on thermophilic composting of food waste, 175
Coakley, M. *see* Coffey, A.
Coffey, A., Coakley, M., Mcgarry, A., Fitzgerald, G.F. & Ross, R.P. Separation of *Listeria monocytogenes* and *Salmonella berta* from a complex food matrix by aqueous polymer two-phase partitioning, 51
Collin, R.G. *see* Fitzgerald, J.M.
Collins, J.K. *see* Charteris, W.P.
Combs, B.G. *see* Atyeo, R.F.
Cormier, M. *see* Monfort, P.
Coventry, M.J. *see* Lachowicz, K.J.
Coventry, M.J., Hickey, M.W., Mawson, R., Drew, P., Wan, J., Krause, D. & Boghossian, V. The comparative effects of nitrogen and oxygen on the microflora of beef steaks in carbon dioxide-containing modified atmosphere vacuum skin-packaging (MA-VSP), 427

Cox, S.D., Gustafson, J.E., Mann, C.M., Markham, J.L., Liew, Y.C., Hartland, R.P., Bell, H.C., Warmington, J.R. & Wyllie, S.G. Tea tree oil causes K^+ leakage and inhibits respiration in *Escherichia coli*, 355
Cravanzola, F. *see* Piatti, P.
Cuesta, P. *see* González De Llano, D.
Czikková, S. *see* Lauková, A.

Danielsson-Tham, M.-L. *see* Nilsson, A.
De Leij, F *see* Brimecombe, M.J.
De Leij, F.A.A.M. *see* Andrade, G.
Desai, A. *see* Yellore, V.
Desor, F. *see* Hury, S.
Dey, S. *see* Patke, D.
Dierich, M.P. *see* Grif, K.
Diviès, C. *see* Labarre, C.
Dlabal, J. *see* Rada, V.
Doyle, M.P. *see* Wang, G.
Drew, P. *see* Coventry, M.J.
Du Toit, M. *see* Franz, C.M.A.P.
Dykes, G.A & Hastings, J.W. Fitness costs associated with class IIa bacteriocin resistance in *Listeria monocytogenes* B73, 5

Earnshaw, R. *see* Mills, G.
Efstratiou, M.A., Mavridou, A., Richardson, S.C. & Papadakis, J.A. Correlation of bacterial indicator organisms with *Salmonella* spp., *Staphylococcus aureus* and *Candida albicans* in sea water, 342
Elliott, L.F. *see* Horwath, W.R.
El-Migdadi, F. *see* Saadoun, I.

Fegan, M. *see* Franke, I.H.
Felske, A. & Akkermans, A.D.L. Prominent occurrence of ribosomes from an uncultured bacterium of the Verrucomicrobiales cluster in grassland soils, 219
Fitzgerald, G.F. *see* Coffey, A.
Fitzgerald, J.M., Collin, R.G. & Towers, N.R. Nucleotide sequence of the *nifH* gene coding for nitrogen reductase in the acetic acid bacterium *Acetobacter diazotrophicus*, 17
Flahaut, S., Laplace, J.-M., Frère, J. & Auffray, Y. The oxidative stress response in *Enterococcus faecalis*: relationship between H_2O_2 tolerance and H_2O_2 stress proteins, 259
Flaujac, G. *see* Leroy-Sétrin, S.
Fliegerová, K., Benada, O. & Flint, H.J. Large plasmids in ruminal strains of *Selenomonas ruminantium*, 243
Flint, H.J. *see* Fliegerová, K.
Ford, M. *see* Perry, J.D.
Foster, G., Ross, H.M., Pennycott, T.W., Hopkins, G.F. & Mclaren, I.M. Isolation of *Escherichia coli* O86:K61 producing cyto-lethal distending toxin from wild birds of the finch family, 395
Franciosa, G., Hatheway, C.L. & Aureli, P. The detection of a deletion in the type B neurotoxin gene of *Clostridium botulinum* A(B) strains by a two-step PCR, 442
Franke, I.H., Fegan, M., Hayward, A.C. & Sly, L.I. A mimic as internal standard to monitor PCR analysis of foodborne pathogens, 12
Franz, C.M.A.P., Du Toit, M., Olasupo, N.A., Schillinger, U. & Holzapfel, W.H. Plantaricin D, a bacteriocin produce by *Lactobacillus plantarum* BFE 905 from ready-to-eat salad, 231
Frère, J. *see* Flahaut, S.
Frey, J. *see* Miserez, R.
Furr, J.R. *see* Ayres, H.M.
Fyfe, L. *see* Smith-Palmer, A.

Gamage, S.D., Luchansky, J.B. & Ingham, S.C. Pulsed-field gel electrophoresis typing of *Hafnia alvei* isolated from chub-packed and retail ground beef, 105
García, T. *see* Gutiérrez, R.
Gashe, B.A. *see* Nigatu, A.
Gavriel, A.A. *see* Landre, J.P.B.
Geisen, R. *see* Grimm, C.
Gendel, S.M. *see* Stewart, D.S.
Gibson, J.R., Chart, H. & Owen, R.J. Intra-strain variation in expression of lipopolysaccharide by *Helicobacter pylori*, 399
González De Llano, D., Cuesta, P. & Rodríguez, A. Biogenic amine production by wild lactococcal and leuconostoc strains, 270
González, C.L. *see* Mondaca, M.A.
González, I. *see* Gutiérrez, R.
Goodson, M. *see* Rowbury, R.J.
Gould, F.K. *see* Perry, J.D.
Gouws, P.A. *see* Manie, T.
Grant, I.R., Ball, H.J. & Rowe, M.T. Effect of high-temperature, short-time (HTST) pasteurization on milk containing low numbers of *Mycobacterium paratuberculosis*, 166
Greenwood, D. *see* Bennett, A.R.
Grif, K., Dierich, M.P. & Allerberger, F. Dynabeads™ plus 3 M Petrifilm HEC™ versus Vitek Immunodiagnostic Assay System™ for detection of *E. coli* O157 in minced meat, 199
Grimm, C. & Geisen, R. A PCR-ELISA for the detection of potential fumonisin producing *Fusarium* species, 456
Guillamón, J.M. *see* Sabate, J.
Gundermann, K.O. *see* Heller, R.

Gustafson, J.E. *see* Cox, S.D.
Gustafson, J.E., Liew, Y.C., Chew, S., Markham, J., Bell, H.C., Wyllie, S.G. & Warmington, J.R. Effects of tea tree oil on *Escherichia coli*, 194
Gutiérrez, R., García, T., González, I., Sanz, B., Hernández, P.E. & Martín, R. Quantitative detection of meat spoilage bacteria by using the polymerase chain reaction (PCR) and an enzyme linked immunosorbent assay (ELISA), 372
Guzzo, J. *see* Labarre, C.

Hakkinen, M. *see* Schneitz, C.
Hamilton-Miller, J.M.T. & Shah, S. Vancomycin susceptibility as an aid to the identification of lactobacilli, 153
Hampson, D.J. *see* Atyeo, R.F.
Hancox, M. Letter to the Editor, 463
Hartland, R.P. *see* Cox, S.D.
Hashem, F.M. *see* Yadav, A.S.
Hastings, J.W. *see* Dykes, G.A.
Hatheway, C.L. *see* Franciosa, G.
Hayasawa, H. *see* Shin, K.
Hayward, A.C. *see* Franke, I.H.
Heller, R., Höller, C., Süßmuth, R. & Gundermann, K.O. Antimicrobial effects of aqueous plant extracts on the fungi *Microsporum canis* and *Trichophyton rubrum* and on three bacterial species, 64
Herman, L., Heyndrickx, M. & Waes, G. Typing of *Bacillus sporothermodurans* and other *Bacillus* species isolated from milk by repetitive element sequence based PCR, 183
Hernández, P.E. *see* Gutiérrez, R.
Heyndrickx, M. *see* Herman, L.
Hickey, M.W. *see* Coventry, M.J.
Höller, C. *see* Heller, R.
Holzapfel, W.H. *see* Franz, C.M.A.P.
Hopkins, G.F. *see* Foster, G.
Horwath, W.R., Elliott, L.F. & Lynch, J.M. Influence of soil quality on the function of inhibitory rhizobacteria, 87
Hume, M.E., Byrd, J.A., Stanker, L.H. & Ziprin, R.L. Reduction of caecal *Listeria monocytogenes* in Leghorn chicks following treatment with a competitive exclusion culture (PREEMPT™), 432
Hury, S., Vidal, D.R., Desor, F., Pelletier, J. & Lagarde, T. A parametric study of the destruction efficiency of *Bacillus* spores in low pressure oxygen-based plasmas, 417

Ingham, S.C. *see* Gamage, S.D.

Jagusztyn-Krynicka, E.K. *see* Pawelec, D.
Jain, R.K. *see* Samanta, S.K.
Jakubowska-Mróz, J. *see* Pawelec, D.
James, A.L. *see* Perry, J.D.
Je, Y.H. *see* Chang, J.H.
Jin, B.R. *see* Chang, J.H.
Johnson, M.G. *see* Yildirim, Z.
Johnston, M.D. *see* Lambert, R.J.
Jones, A.L. *see* Perry, J.D.
Jones, G.P. *see* Lachowicz, K.J.

Kang, S.K. *see* Chang, J.H.
Kaur, J., Ledward, D.A., Park, R.W.A. & Robson, R.L. Factors affecting the heat resistance of *Escherichia coli* O157:H7, 325
Keijer, J. *see* Aarts, H.J.M.
Kelly, P.M. *see* Charteris, W.P.
Khan, S. *see* Manie, T.
Kim, C.-J. *see* Park, S.H.
Krause, D. *see* Coventry, M.J.
Kreit, J. *see* Krier, F.
Krier, F., Kreit, J. & Millière, J.-B. Characterization of partially purified alcohol dehydrogenase from *Rhodococcus* sp. strain GK1, 283
Kudo, T. *see* Ui, S.
Kuykendall, L.D. *see* Yadav, A.S.

Labarre, C., Cavin, J.-F., Diviès, C. & Guzzo, J. Using specific polyclonal antibodies to study the malolactic enzyme from *Leuconostoc oenos* and other lactic acid bacteria, 293
Lachowicz, K.J., Jones, G.P., Briggs, D.R., Bienvenu, F.E., Wan, J., Wilcock, A. & Coventry, M.J. The synergistic preservative effects of the essential oils of sweet basil (*Ocimum basilicum* L.) against acid-tolerant food microflora, 209
Lagarde, T. *see* Hury, S.
Lamacka, M. & Sajbidor, J. The content of prostaglandins and their precursors in *Mortierella* and *Cunninghamella* species, 224
Lamb, A.J. *see* Landre, J.P.B.
Lambert, R.J., Johnston, M.D. & Simons, E.-A. Disinfectant testing: use of the Bioscreen Microbiological Growth Analyser for laboratory biocide screening, 288
Lambertz, A. *see* Thisted, S.
Lambertz, S.T. *see* Nilsson, A.
Landre, J.P.B., Gavriel, A.A. & Lamb, A.J. False-positive coliform reaction mediated by *Aeromonas* in the Colilert defined substrate technology system, 352
Laplace, J.-M. *see* Flahaut, S.
Lastovica, A. *see* Lorenz, E.
Lauková, A. & Czikková, S. Inhibition effect of enterocin CCM 4231 in the rumen fluid environment, 215

Ledward, D.A. *see* Kaur, J.
Lee, K.-S. *see* Park, S.H.
Leroy-Sétrin, S., Flaujac, G., Thénaisy, K. & Chaslus-Dancla, E. Genetic diversity of *Ornithobacterium rhinotracheale* strains isolated from poultry in France, 189
Letourneau, F., Soussotte, V., Bressollier, P., Branland, P. & Verneuil, B. *Campylobacter jejuni* 72Dz/92 *cjaC* gene coding 28 kDa immunopositive protein, a homologue of the solute-binding components of the ABC transport system, 77
Liew, Y.C. *see* Cox, S.D.
Liew, Y.C. *see* Gustafson, J.E.
Lindqvist, R. *see* Thisted, S.
Lorenz, E., Lastovica, A. & Owen, R.J. Subtyping of *Campylobacter jejuni* Penner serotypes 9, 38 and 63 from human infections, animals and water by pulsed field gel electrophoresis and flagellin gene analysis, 179
Luchansky, J.B. *see* Gamage, S.D.
Lynch, A.A.M. *see* Brimecombe, M.J.
Lynch, J.M. *see* Andrade, G.
Lynch, J.M. *see* Horwath, W.R.

Madihah, S. *see* Rosfarizan, M.
Manchee, R.J. *see* Miller, J.
Manie, T., Khan, S., Brözel, V.S., Veith, W.J. & Gouws, P.A. Antimicrobial resistance of bacteria isolated from slaughtered and retail chickens in South Africa, 253
Mann, C.M. *see* Cox, S.D.
Maoz, M. & Neeman, I. Production and purification of recombinant protective antigen and protective efficacy against *Bacillus anthracis*, 61
Markham, J. *see* Gustafson, J.E.
Markham, J.L. *see* Cox, S.D.
Marland, J. *see* Wainwright, M.
Martín, R. *see* Gutiérrez, R.
Matteuzzi, D. *see* Rossi, M.
Mavridou, A. *see* Efstratiou, M.A.
Mawson, R. *see* Coventry, M.J.
Mcbride, B.W. *see* Miller, J.
Mcgarry, A. *see* Coffey, A.
Mclaren, I.M. *see* Foster, G.
Megehee, J.A. *see* Anderson, K.L.
Miller, J., Mcbride, B.W., Manchee, R.J., Moore, P. & Baillie, L.W.J. Increasing phage resistance of cheese starters: a case study using *Lactococcus lactis* DPC4268, 56
Millière, J.-B. *see* Krier, F.
Mills, G., Earnshaw, R. & Patterson, M.F. Effects of high hydrostatic pressure on *Clostridium sporogenes* spores, 227
Mimura, A. *see* Ui, S.
Minet, J. *see* Monfort, P.
Miserez, R., Frey, J., Buogo, C., Capaul, S., Tontis, A., Burnens, A. & Nicolet, J. Detection of α- and ε-toxigenic *Clostridium perfringens* Type D in sheep and goats using a DNA amplification technique (PCR), 382
Molin, G. *see* Nigatu, A.
Mondaca, M.A., González, C.L. & Zaror, C.A. Isolation, characterization and expression of a plasmid encoding chromate resistance in *Pseudomonas putida* KT2441, 367
Monfort, P., Minet, J., Rocourt, J., Piclet, G. & Cormier, M. Incidence of *Listeria* spp. in Breton live shellfish, 205
Moore, P. *see* Miller, J.
Morelli, L. *see* Charteris, W.P.

Neeman, I. *see* Maoz, M.
Nicolet, J. *see* Miserez, R.
Nigatu, A., Ahrné, S., Gashe, B.A. & Molin, G. Randomly amplified polymorphic DNA (RAPD) for discrimination of *Pediococcus pentosaceus* and *Ped. acidilactici* and rapid grouping of *Pediococcus* isolates, 412
Nilsson, A., Lambertz, S.T., Stålhandske, P., Norberg, P. & Danielsson-Tham, M.-L. Detection of *Yersinia enterocolitica* in food by PCR amplification, 140
Norberg, P. *see* Nilsson, A.

Okuma, M. *see* Ui, S.
Olasupo, N.A. *see* Franz, C.M.A.P.
Onishi, N. & Tanaka, T. Galacto-oligosaccharide production using a recycling cell culture of *Sterigmatomyces elviae* CBS8119, 136
Otsuka, Y. *see* Shin, K.
Owen, R.J. *see* Gibson, J.R.
Owen, R.J. *see* Lorenz, E.
Oxberry, S.L. *see* Atyeo, R.F.
Ozino, O.I. *see* Piatti, P.

Papadakis, J.A. *see* Efstratiou, M.A.
Park, H.W. *see* Chang, J.H.
Park, R.W.A. *see* Kaur, J.
Park, S.F. *see* Richardson, P.T.
Park, S.H., Choi, C.W., Lee, K.-S. & Kim, C.-J. Influence of quercetin, a bioflavonoid, on the toxicity of copper to *Fusarium culmorum*, 363
Park, Y.-H. *see* Choi, M.H.
Patelakis, S.J.J., Ritcey, L.L. & Speers, R.A. Density of lectin-like receptors in the FLO1 phenotype of *Saccharomyces cerevisiae*, 279
Patke, D. & Dey, S. Proteolytic activity from a thermophilic *Streptomyces megasporus* strain SDP4, 171
Patterson, M.F. *see* Mills, G.
Pawelec, D., Jakubowska-Mróz, J. & Jagusztyn-Krynicka, E.K. Effect of salt concentration and temperature on survival of *Legionella pneumophila*, 69

Payne, D.N. *see* Ayres, H.M.
Pedersen, L.H., Skouboe, P., Rossen, L. & Rasmussen, O.F. Conjugal transfer of transposon Tn1545 into the cellulolytic bacterium *Eubacterium cellulosolvens*, 47
Pelletier, J. *see* Hury, S.
Pennycott, T.W. *see* Foster, G.
Perry, J.D., Archer, L., Jones, A.L., James, A.L., Ford, M. & Gould, F.K. Detection of carboxypeptidases as taxonomic markers for Gram-negative bacteria, 359
Phoenix, D.A. *see* Wainwright, M.
Piatti, P., Cravanzola, F., Bridge, P.D. & Ozino, O.I. Molecular characterization of *Beauveria brongniartii* isolates obtained from *Melolontha melolontha* in Valle d'Aosta (Italy) by RAPD-PCR, 317
Piclet, G. *see* Monfort, P.
Pourkomailian, B. Possible link between a 35 kDa membrane protein and osmolyte transport in *Staphylococcus aureus*, 149

Querol, A. *see* Sabate, J.

Rada, V. & Dlabal, J. Susceptibility of bifidobacteria to nisin, 123
Rani, M. *see* Samanta, S.K.
Rasmussen, O.F. *see* Pedersen, L.H.
Richardson, P.T. & Park, S.F. Molecular characterization of a strain-specific sequence in *Campylobacter jejuni*, 113
Richardson, S.C. *see* Efstratiou, M.A.
Ritcey, L.L. *see* Patelakis, S.J.J.
Robson, R.L. *see* Kaur, J.
Rocourt, J. *see* Monfort, P.
Rodríguez, A. *see* González De Llano, D.
Roh, J.Y. *see* Chang, J.H.
Rosfarizan, M., Madihah, S. & Ariff, A.B. Biochemical and symbiotic properties of histidine-requiring mutants of *Rhizobium leguminosarum* biovar trifolii, 27
Ross, H.M. *see* Foster, G.
Ross, R.P. *see* Coffey, A.
Rossen, L. *see* Pedersen, L.H.
Rossi, M., Brigidi, P. & Matteuzzi, D. Improved cloning vectors for *Bifidobacterium* spp., 101
Rowan, N.J. & Anderson, J.G. Diarrhoeal enterotoxin production by psychrotrophic *Bacillus cereus* present in reconstituted milk-based infant formulae (MIF), 161
Rowbury, R.J. & Goodson, M. Induction of acid tolerance at neutral pH in log-phase *Escherichia coli* by medium filtrates from organisms grown at acidic pH, 447
Rowe, M.T. *see* Grant, I.R.
Russell, A.D. *see* Ayres, H.M.

Saadoun, I. & El-Migdadi, F. Degradation of geosmin-like compounds by selected species of Gram-positive bacteria, 98
Sabate, J., Cano, J., Querol, A. & Guillamón, J.M. Diversity of *Saccharomyces* strains in wine fermentations: analysis for two consecutive years, 452
Saint, C.P. A colony based confirmation assay for *Legionella* and *Legionella pneumophila* employing the EnviroAmp™ *Legionella* system and seroagglutination, 377
Sajbidor, J. *see* Lamacka, M.
Samanta, S.K., Rani, M. & Jain, R.K. Segregational and structural instability of recombinant plasmid carrying genes for naphthalene degrading pathway, 265
Sanz, B. *see* Gutiérrez, R.
Schillinger, U. *see* Franz, C.M.A.P.
Schneitz, C. & Hakkinen, M. Comparison of two different types of competitive exclusion products, 338
Schwartzbrod, J. *see* Thiriat, L.
Shah, S. *see* Hamilton-Miller, J.M.T.
Shin, K., Yamauchi, K., Teraguchi, S., Hayasawa, H., Tomita, M., Otsuka, Y. & Yamazaki, S. Antibacterial activity of bovine lactoferrin and its peptides against enterohaemorrhagic *Escherichia coli* O157:H7, 407
Sidaner, F. *see* Thiriat, L.
Simons, E.-A. *see* Lambert, R.J.
Sisti, M., Albano, A. & Brandi, G. Bactericidal effect of chlorine on motile *Aeromonas* spp. in drinking water supplies and influence of temperature on disinfection efficacy, 347
Skouboe, P. *see* Pedersen, L.H.
Sly, L.I. *see* Franke, I.H.
Smith-Palmer, A., Stewart, J. & Fyfe, L. Antimicrobial properties of plant essential oils and essences against five important food-borne pathogens, 118
Soussotte, V. *see* Letourneau, F.
Speers, R.A. *see* Patelakis, S.J.J.
Stålhandske, P. *see* Nilsson, A.
Stanker, L.H. *see* Hume, M.E.
Stewart, D.S., Tortorello, M.L. & Gendel, S.M. Evaluation of DNA preparation techniques for detection of the SLT-1 gene of *Escherichia coli* O157:H7 in bovine faeces using the polymerase chain reaction, 93
Stewart, J. *see* Smith-Palmer, A.
Surendran, P.K. *see* Thampuran, N.
Süßmuth, R. *see* Heller, R.

Tanaka, T. *see* Onishi, N.
Tennant, C. *see* Bennett, A.R.
Teraguchi, S. *see* Shin, K.
Thampuran, N. & Surendran, P.K. Occurrence and distribution of *Vibrio vulnificus* in tropical fish and shellfish from Cochin (India), 110

Thénaisy, K. *see* Leroy-Sétrin, S.
Thiriat, L., Sidaner, F. & Schwartzbrod, J. Determination of *Giardia* cyst viability in environmental and faecal samples by immunofluorescence, fluorogenic dye staining and differential interference contrast microscopy, 237
Thisted Lambertz, S., Ballagi-Pordány, A. & Lindqvist, R. Fitness costs associated with class IIa bacteriocin resistance in *Listeria monocytogenes* B73, 9
Tomita, M. *see* Shin, K.
Tontis, A. *see* Miserez, R.
Tortorello, M.L. *see* Stewart, D.S.
Towers, N.R. *see* Fitzgerald, J.M.
Tran, T.T. A blood-free enrichment medium for growing *Campylobacter* spp. under aerobic conditions, 145

Ui, S., Mimura, A., Okuma, M. & Kudo, T. The production of D-acetoin by a transgenic *Escherichia coli*, 275

Van Lith, L.A.J.T. *see* Aarts, H.J.M.
Varel, V.H. *see* Anderson, K.L.
Vashishat, R.K. *see* Yadav, A.S.
Veith, W.J. *see* Manie, T.
Verneuil, B. *see* Letourneau, F.
Vidal, D.R. *see* Hury, S.

Waes, G. *see* Herman, L.
Wainwright, M., Phoenix, D.A., Marland, J., Wareing, D.R.A. & Bolton, F.J. A comparison of the bactericidal and photobactericidal activities of aminoacridines and bis(aminoacridines), 404
Wan, J. *see* Coventry, M.J.
Wan, J. *see* Lachowicz, K.J.
Wang, G. & Doyle, M.P. Isolation of a kojic acid-producing fungus capable of using starch as a carbon source, 31
Wareing, D.R.A. *see* Wainwright, M.
Warmington, J.R. *see* Cox, S.D.
Warmington, J.R. *see* Gustafson, J.E.
Westbrook, D.G. *see* Bhunia, A.K.
Wilcock, A. *see* Lachowicz, K.J.
Woo, S.D. *see* Chang, J.H.
Wyllie, S.G. *see* Cox, S.D.
Wyllie, S.G. *see* Gustafson, J.E.

Yadav, A.S., Vashishat, R.K., Kuykendall, L.D. & Hashem, F.M. Biological control of sporidesmin-producing strains of *Pithomyces chartarum* by biocompetitive exclusion, 22
Yamauchi, K. *see* Shin, K.
Yamazaki, S. *see* Shin, K.
Yanke, L.J. & Cheng, K.-J. A method for the selective enumeration and isolation of ruminal *Lactobacillus* and *Streptococcus*, 248
Yellore, V. & Desai, A. Production of poly-3-hydroxybutyrate from lactose and whey by *Methylobacterium* sp. ZP24, 391
Yildirim, Z. & Johnson, M.G. Detection and characterization of a bacteriocin produced by *Lactococcus lactis* subsp. *cremoris* R isolated from radish, 297

Zaror, C.A. *see* Mondaca, M.A.
Ziprin, R.L. *see* Hume, M.E.

Index of Subjects

Acid tolerance in log-phase *E. coli* (Rowbury & Goodson), 447
Acid tolerance of *Escherichia coli* O157:H7 (Wang & Doyle) 31
AFLP-fingerprinting of *Salmonella* (Aarts, van Lith & Keijer) 131
Alcohol dehydrogenase from *Rhodococcus* sp. GK1 (Krier, Kreit & Millière) 283
Aminoacridines and bis(aminoacridines) (Wainwright, Phoenix, Marland, Wareing & Bolton) 404
Anti-bacterial activity of synthetic compounds (Babalola) 43
Antibiotic susceptibility of *Bifidobacterium* isolates (Charteris, Kelly, Morelli & Collins) 333
Antifungal aqueous extracts (Maoz & Neeman) 61
Antimicrobial activity of basil oil (Lachowicz, Jones, Briggs, Bienvenu, Wan, Wilcock & Coventry) 209
Antimicrobial plant essential oils (Smith-Palmer, Stewart & Fyfe) 118
Bacteriocin resistance in *Listeria* (Dykes & Hastings) 5
Bifidobacterium spp. vectors cloning (Rossi, Brigidi & Matteuzzi) 101
Biocontrol of *P. chartarum* (Fitzgerald, Collin & Towers) 17
Biodegradation of natural geosmin (Saadoun & El-Migdadi) 98
Camp. jejuni cjaC gene – ABC transport system (Pawelec, Jakubowska-Móz & Jagusztyyn-Krynicka) 69
Chlorine resistance of *Aeromonas* (Sisti, Albano & Brandi) 347
Chromate resistance in *Pseudomonas putida* (Mondaca, González & Zaror) 367
Cl. botulinum identification (Brett) 81
Comparison of different CE products (Schneitz & Hakkinen) 338
Competitive exclusion of *Listeria* (Hume, Byrd, Stanker & Ziprin) 432
Cytotoxicity assay for *Listeria* species (Bhunia & Westbrook) 305
Deletion in the silent type B botulinum toxin gene (Franciosa, Hatheway & Aureli) 442
Detection of amine production by strains (González de Llano, Cuesta & Rodríguez) 270
Detection of *Cl. perfringens* Type D (Miserez, Frey, Buogo, Capaul, Tontis, Burnens & Nicolet) 382
Detection of *E. coli* O157 in minced meat (Grif, Dierich & Allerberger) 199
Determination of *Giardia* cyst viability (Thiriat, Sidaner & Schwartzbrod) 237
Disinfectant testing (Lambert, Johnston & Simons) 288
Diversity of *Saccharomyces* in wine fermentations (Sabate, Cano, Querol & Guillamón) 452
Drought tolerance by lentil rhizobia (Athar) 38
Effect of enterocin CCM 4231 in the rumen fluid (Lauková & Czikková) 215
Effect of GMMs on nitrogen uptake (Brimecombe, De Leij & Lynch) 155
Effect of lactoferrin on EHEC O157 (Shin, Yamauchi, Teraguchi, Hayasawa, Tomita, Otsuka & Yamazaki) 407
Effect of quercetin on copper toxicity (Park, Choi, Lee & Kim) 363
Effect of yeast on composting of food waste (Choi & Park) 175
Y. enterocolitica PCR food assay (Nilsson, Lambertz, Stålhandske, Norberg & Danielsson-Tham) 140
False-positive coliform reaction (Landre, Gavriel & Lamb) 352
Function of inhibitory Rhizobacteria (Horwath, Elliott & Lynch) 87
Gal-OS production by recycled yeast cells (Onishi & Tanaka) 136
Genetic variability of *B. brongniartii* in Valle d'Aosta (Piatti, Cravanzola, Bridge & Ozino) 317
H_2O_2 stress response in *Ent. faecalis* (Flahaut, Laplace, Frère & Auffray) 258
Heat resistance of *E. coli* O157:H7 (Kaur, Ledward, Park & Robson) 325
Histidine-requiring mutants of *Rh. leguminosarum* (Yadav, Vashishat, Kuykendall & Hashem) 22
Indicators and pathogens in sea water (Efstratiou, Mavridou, Richardson & Papadakis) 342
Instability of a recombinant plasmid (Samanta, Rani & Jain) 265
Isolation of *Bacillus thuringiensis* ssp. *kurstaki* HD-1 (Chang, Roh, Je, Park, Jin, Woo & Kang) 387
Isolation of *Campylobacter jejuni* (Tran) 145
Isolation of *E. coli* O86:K61 from wild finches (Foster, Ross, Pennycott, Hopkins & McClaren) 395
Keratinolytic activity from *S.*$K_{1\text{-}02}$ (Letourneau, Soussotte, Bressollier, Branland & Verneuil) 77
Kojic acid-producing fungus (Rosfarizan, Madihah & Ariff) 27
Lactococcin R from *Lactococcus lactis* subsp. *cremoris* R (Yildirim & Johnson)297
Large plasmids in *S. ruminantium* (Fliegerová, Benada & Flint) 243
Lectin-like receptors in *S. cerevisiae* (Patelakis, Ritcey & Speers) 279
Listeria spp. in live shellfish (Monfort, Minet, Rocourt, Piclet & Cormier) 205
Malthus, permeabilizers and biocides (Ayres, Payne, Furr & Russell) 422
Microflora of MA-VSP beef steaks (Coventry, Hickey, Mawson, Drew, Wan, Krause & Boghossian) 427
Molecular detection of *Legionella* (Saint) 377
Myco. paratuberculosis and pasteurization (Grant, Ball & Rowe) 166

nifH gene of *Acet. diazotrophicus* (Franke, Fegan, Hayward & Sly) 12
PCR analysis of food-borne pathogens (Thisted Lambertz, Ballagi-Pordány & Lindqvist) 9
PCR for detection of *E. coli* O157:H7 in bovine faeces (Stewart, Tortorello & Gendel) 93
PCR detection of *Salmonella* (Bennett, Greenwood, Tennant, Banks & Betts) 437
PCR-ELISA enumeration of bacteria (Gutiérrez, García, González, Sanz, Hernández & Marín) 372
PCR-ELISA for fumonisin producers (Grimm & Geisen) 456
PCRs for *Serpulina hyodysenteriae* and *S. pilosicoli* (Atyeo, Oxberry, Combs & Hampson) 126
Phage resistance in cheese starters (Coffey, Coakley, McGarry, Fitzgerald & Ross) 51
PHB from lactose and whey (Yellore & Desai) 391
Plant mediated interactions on pea (Andrade, De Leij & Lynch) 311
Possible osmoregulatory protein in *S. aureus* (Pourkomailian) 149
Pressure treatment of *Clostridium* (Mills, Earnshaw & Patterson) 227
Production of homochiral acetoin (Ui, Mimura, Okuma & Kudo) 275
Prostaglandins in filamentous fungi (Lamacka & Sajbidor) 224
Pulsed-field typing of *H. alvei* (Gamage, Luchansky & Ingham) 105
RAPD for grouping pediococci (Nigatu, Ahrné, Gashe & Molin) 412
REP-PCR typing for *B. sporothermodurans* (Herman, Heyndrickx & Waes) 183
Resistance of bacteria on chickens (Manie, Khan, Brözel, Veith & Gouws) 253
rPA and protection against *B. anthracis* (Miller, McBride, Manchee, Moore & Baillie) 56
Selective enumeration of ruminal LAB (Yanke & Cheng) 248
Specificity of the *Leuc. oenos* MLE (Labarre, Cavin, Diviès & Guzzo) 293
Spore destruction in oxygen-based plasmas (Hury, Vidal, Desor, Pelletier & Lagarde) 417
Strain-specific sequence in *Campylobacter jejuni* (Richardson & Park) 113
Subtyping of *Camp. jejuni* HS9, 38 and 63 (Lorenz, Lastovica & Owen) 179
Survival of *Legionella pneumophila* in salt solutions (Heller, Höller, Süßmuth & Gundermann) 64
Susceptibility of bifidobacteria to nisin (Rada & Dlabal) 123
Taxonomic markers for Gram-negative bacteria (Perry, Archer, Jones, James, Ford & Gould) 359
Tea tree oil effects on *E. coli* (Gustafson, Liew, Chew, Markham, Bell, Wyllie &Warmington) 194
The bacteriocin plantaricin D (Franz, Du Toit, Olasupo, Schillinger & Holzapfel) 231
Thermophilic *Streptomyces megasporus* proteases (Patke & Dey) 171
Toxin production by psychrotrophic *B. cereus* in MIF (Rowan & Anderson) 161
Transfer of Tn1545 to *E. cellulosolvens* (Anderson, Megehee & Varel) 35
TTO affects *E. coli* membranes (Cox, Gustafson, Mann, Markham, Liew, Hartland, Bell, Warmington & Wyllie) 355
Two-phase separation of bacteria (Pedersen, Skouboe, Rossen & Rasmussen) 47
Typing of *Ornithobacterium* (Leroy-Sétrin, Flaujac, Thénaisy & Chaslus-Dancla) 189
Vancomycin susceptibility (Hamilton-Miller & Shah) 153
Variable LPS expression in *H. pylori* (Gibson, Chart & Owen) 399
Verrucomicrobial rRNA in soil (Felske & Akkermans) 219
Vibrio vulnificus in tropical fish and shellfish (Thampuran & Surendran) 110